




All Satellite Coverages from GlobalTT



Satellite Internet Provider

FOR BUSINESS & FLEXIBLE
SOLUTION



10 Rue Lenoir • Parc scientifique Einstein
B-1348 Louvain-La-Neuve • Belgium

+32 10 48 56 00 +32 10 48 56 20

info@globaltt.com www.globaltt.com



REF:V6-BB-25062019



SATELLITE INTERNET SOLUTIONS ALL OVER THE WORLD



1 ABOUT US

5 SATELLITE COVERAGE

9 VSAT INTERNET SOLUTIONS

13 VTOL FIXED WING DRONE

14 TV CHANNELS BROADCASTING VIA SATELLITE / INTERNET

15 MICROWAVE RADIO & WIFI LINKS

17 NEW SATELLITE INTERNET SOLUTIONS

19 WEB BASED CLOUDING SERVICES & OTHER SERVICES

25 MOBILE SATELLITE SERVICES

31 WATER REPELLENT / NANO-COATING

/ INDEXING

Satellite
Connections
Made
Better





who is **GLOBALTT**

GLOBALTT, Private satellite operator located South of **Brussels Belgium (EU)**, providing all internet satellite solutions for Africa (mainly), Middle-East, Europe, Asia and Caribbean's.

GLOBALTT was founded in 1987 developing innovative, quality and secured solutions for NGOs, Embassies and Enterprises such as Mining, Oil & Gas, Energy, Agriculture, Construction, Aviation, Hotels, Camps, Banks.

100% of all **GLOBALTT's** operations and management are on a same physical site, ensuring a fast and quick action on any requests of our customers (support, logistic, R&D, special request, etc..)



Flexible Solutions & Innovation

We continuously develop new solutions and services to meet all our client's satisfaction and stay the Best Satellite Internet Service Provider



Incredible Coverage

We cover a real big part of the whole world inch by inch, but mainly focusing on Africa, Europe, and the Middle East.



Customer Support

We provide a fully supportive team of professionals, in standby 24/7 online, offline, on-site partners or resellers. The most efficient is our Subscriber debugging support interactive WebSite



Our satellite teleport & operation located close to Brussels-Belgium including 8 main transmitting antennas for our operations, linked to **three(3) fibbers - 10 Gbps each - connected to the internet backbone** [upgraded in Jan 2020].

We transmit over satellite the internet and offer services in **C-Band, KU-Band and KA-Band**. All our teleport infrastructure is under full monitoring alarm 24/7 and self-auto-maintenance.

Our service is orientate : Fixe, Transportable , Portable , Vehicle and Maritime operations, Permanent or Temporary or event Occasional Usage.





why GLOBALTT

GLOBALTT use and manage the bandwidth of 10 satellites to cover client's areas in Ku-band/C-band/Ka-Band.

- 30 years on the African market
- GlobalTT operate and offer all VSAT technologies (C, Ku, Ka)
- 3 X 10 Gbps.
- Very high service stability and reliability
- Delivery all over Africa- Door To Door (for specific countries)
- Technical partners and resellers all over Africa
- Fast delivery - all from stock – all tested and fully configured
- Monitoring, graph, alerts, info/Event Logs, Security FW, etc...
- Unique development and added value & unique specific services
- Service for Enterprises, NGOs, Embassies ISPs.



- ✕ **VSAT Satellite Services**
- ✕ **Mobile Satellite Services**
- ✕ **Software & Hardware**
- ✕ **Wi-Fi LAN Services**
- ✕ **Surveillance**
- ✕ **Videoconference**
- ✕ **Security**
- ✕ **Drone & Satellite**

GLOBALTT TELEPORTS



- 8 main transmitting antennas for our operations (11m, 9m, 6.3m, 4.3m, 3.8m etc.).
- More than 25 antennas for tests and redundancy (2.4m, 1.8m).
- Less than 4 hours of reaction 24/7 on all the teleport critical equipment.
- All equipment are under monitoring and alarm 24/7 and self-auto-maintenance.
- Energy resources (4 hours autonomy UPS) and main energy feed coming from a high power redundant loop.
- Tracking systems on the antennas (Satellite monitoring), Antenna de-icing (down to - 25° C)
- Active maintenance of the whole site and high prevention on a daily basis.
- Connection to redundancy Backbone Fibbers: 10 Gbps fiber Loop and excellent peering agreement.



KU-BAND

SATELLITES COVERAGE



**T11N
Ku-Band**



T11N • KU-BAND
(Super High Capacity Available)


- 90 cm Dish
- 1.2 m the common Dish
- 1.8 m Dish
- 2.4 m for the high capacity low cost
- Max 50 Mbps Rx & 25 Mbps Tx
- Shared 4:1 & Dedicated 1:1



T12V • KU-BAND
(NEW SERVICE)

- 90 cm Dish
- 1.2 m the common Dish
- 1.8 m Dish
- 2.4 m for the high capacity low cost
- Max 50 Mbps Rx & 25 Mbps Tx
- Shared 4:1 & Dedicated 1:1

**T12V
Ku-Band**




**NSS-12
KU-Band**



NSS12 • KU-BAND
(FULLY OPERATIONAL)

- 90CM, 1.2 m Dish
- Max 30 Mbps Rx & 1 Mbps Tx
- Shared 4:1 & Dedicated 1:1


5



THOR10 • KU-BAND
(Fully Operational)


**Ku-Band
THOR 10-02 S1**

EUROPE / NORTH AFRICA



**Ku-Band
Thor 10-02-S2**

MIDDLE-EAST



6




KA-BAND

C-BAND




YAHSAT AY3 • KA-BAND

- Operation on Multi-Spot beam
- Capacity Available
- 74 cm Dish
- 98 cm Dish
- **Max 50 Mbps Rx & 6 Mbps Tx**
- **Shared 8:1,4:1,2:1**
- **Dedicated 1:1**



YAHSAT AY3 • KA-BAND

- Operation on Multi-Spot beam
- Capacity Available
- 74 cm Dish
- 98 cm Dish
- **Max 50 Mbps Rx & 6 Mbps Tx**
- **Shared 8:1,4:1,2:1**
- **Dedicated 1:1**



THOR7 • KA-BAND

- Operation on Multi-Spot beam
- Capacity Available
- 74 cm Dish
- 98 cm Dish
- **Max 50 Mbps Rx & 6 Mbps Tx**
- **Shared 8:1,4:1**
- **Dedicated 1:1**





ARABSAT 5C • C-BAND (Service Release Soon)

- Circular Polarisation
- 1.8 m Dish
- 2.4 m Dish
- **Max 50 Mbps Rx & 25 Mbps Tx**
- **Shared 4:1 & Dedicated 1:1**





GLOBALTT MARITIME SATELLITE COVERAGE





SATELLITE ANTENNA



Ka-Band
98 cm Antenna



Ka-Band
74 cm Antenna



Ka-Band

(Technology)

FIXED VSAT IFAST KA-Band (SLA 99%)

High-performance satellite for Business users (SOHO & SME). Uninterrupted, high-speed & low-cost Internet in the coverage area from GlobalTT YAHSAT satellite. Up to 50 Mbps.

Ku-Band

9



C-Band

(Technology)

FIXED VSAT IFAST C-Band (SLA 99.9%)

High speed Internet connection from GlobalTT satellites. Unlimited shared access. Regulated by the Fair Usage Policy. Free online monitoring. **Double speed during off-Peak.** High quality Satellite Dish (1.8 m, 2.4 m and 3.8 m). High speed iFast modems. Speed up to 50 Mbps / 25 Mbps.

FLYAWAY VSAT Portable VSAT

Flyaway VSAT antenna designed to move easily and be operational easily and quickly over satellite. Internet Up to 30 Mbps.



10





SATELLITE MODEM

iFAST- IP (≤25 Users)

Up to **10.5 Mbps** on the receive and **1 Mbps** on the transmit. Offers 512 TCP Connections. **DVB-S2 ACM satellite access. 2 VLAN**, on the satellite internet modem. Star satellite internet connectivity

iFAST-WebEnhanced (≤60 Users)

Up to **50 Mbps** receive and **1 Mbps** transmit. 2048 TCP Connections. DVB-S2 ACM. **128 GB On-board Proxy** with Dynamic caching. High level packet and data process / acquisition - **8 VLAN**



HT-2000(Ka-Band)

The HT2000 **50 Mbps / 6 Mbps**, next-generation satellite terminal featuring support for wideband DVB-S2X forward channel, delivering the industry's best efficiency.



iFAST-Accent [PRO] (≤250 Users)

19" rack Pro Up to **50 Mbps** receive and **24 Mbps** transmit. Dual MF-TDMA/SCPC carrier, **128 GB On-board Proxy** active caching, powerful processor, DVB-S2 ACM inbound and outbound. **8VLAN**

11

VSAT SOLUTIONS



VEHICLE IP VSAT

Our vehicle mounted Vsat antenna is able of handling critical high speed internet iFast applications. In a couple of minute - **Up to 50 Mbps**.

MARITIME VSAT Three AXIS

Compact size and lightweight design satellite maritime Vsat unit, **60cm Ku-band** VSAT antenna and a **90 cm** Vsat antenna. Internet access on Board **Up to 50 Mbps**.

KYMETA 1 VSAT Ku-ANTENNA

Lightweight, slim, and high-throughput communication systems that makes connecting nearly any **vehicle, vessel, or fixed platform** easy. Holographic Beam Forming. Omnidirectional, No Mechanic, **Up to 10 Mbps**

VEHICLE SOTM 2

Low profile satellite tracking internet antenna, simple and easy to install. Quick satellite acquisition.



12



SATELLITE CONNECTED DRONE


Surveillance
Mapping
Goods Delivery
Survey
GSM Tracking




VTOL (Vertical Take-off & Landing) Fixed Wing Drone

VTOL Fixed-Wing Unmanned Aerial System is ready to fly modular solution that can be easily customized in the field according to any mission.

- Thermic Engine & 100 W Generator
- Fly time of 7 + hours & $\geq 150\text{Km}$ Range
- Flight route Programmable
- Payload capacity up to $\geq 7\text{Kg}$
- Long range Encrypted AES256 Satellite Communication
- UHD Camera Day/ Night
- Long Distance / High Staricity zoom.



SATELLITE CHANNEL BROADCASTING



IPTV / OTT Internet Protocol Television

We Broadcast your production all over the world
via the internet.
Reception via our App on:

- Smartphones
- Tablets
- Laptops
- Smart TVs
- Setup-boxes (STB) Standard or High definition

YOUR TV VIDEO CHANNEL video production available in DTH satellite

Your TV content and TV programs
Available over Africa, MENA
region or Europe?
We can make it for you.
Your channel will be transmitted
by satellite.
Your channel will be received by
existing small private dishes on
the ground (DTH)

13



14





MICROWAVE RADIO LINK Point-to-Point

Point-to-point radio, Ethernet LAN (RJ45) Radio range line of sight (LOS), supporting, LAN & VLAN

- ≥ 50 Km
- 2 GHz to 90 GHz
- 2.4 GHz or 5 GHz, 65 GHz
- 1Mbps, 10 Mbps, 100 Mbps, 1 Gbps, 10 Gbps


1 Mbps up to 10 Gbps



≤ 1 Km Range 100 Mbps

Wi-Fi RANGE EXTENDER Point-to-Point & Multipoint (1 Km)

2.4 GHz & 5 GHz, Range up to 1 Km LOS,
High-performance high-gain antenna, CPE,
Access Point or repeater, Integrated alignment
mechanism, Weatherproof case, WIFI protocol
(IP55 compliant)




- Net interface
- Billing
- Access control
- Voucher

Wi-Fi MEDIUM RANGE Wi-Fi 600 Meters radio Range

Designed to be used either as an Access Point with built-in backhaul for high density user environments, or as a Point-to-Point and Point-to-Multipoint bridge that delivers high speed data internet in WIFI protocol 2.4 GHz and 5 GHz.

600 Meters Radio Range



1.5 Km Radio Range

Wi-Fi LONG RANGE Wi-Fi 1.5 Km Radio Range

Long Radio Range(1.5Km)

WiFi 2.4 GHz : 1.2 Km to 1.5 Km per BTS/Cell, Repeater included 10Km radio link in 4.9 GHz to 5 GHz - extend the coverage, Adaptive interference control, Antenna beam forming, Multi-function wireless system and method. Design for high density usage - Multi- BTS




Remote Doctor Assistance

SATELLITE TELEMEDICINE

We provide multiple diagnostic tools in a single, easy-to-use handheld device operate through satellite.


On the patient's side, clinicians can conduct remote office visits, and through the real-time collection of multiple vital sign readings and key patient assessments, detect and follow numerous medical conditions from across town, or around the world.



Same Satellite Capacity for your Organisation

Main Properties and Usage

- Only 1 subscription and capacity for all your VSAT stations.
- Speed from 1 Mbps up to **10 Mbps / 30 Mbps / 50 Mbps**
- **Dedicated bandwidth (1:1)** only for VSAT stations under your company & same satellite footprint.





SATELLITE & SURVEILLANCE



Satellite Solutions for high definition CLOUDING webcam.

UHD WebCam, video recording, face recognition, IP Place recognition, virtual fence and virtual security boarder, all in SD

- Smart Webcam with face recognition
- Indoor/outdoor
- Solar Panel option
- Day & night vision & IR
- Face Recognition



- Electronic Zoom PTZ
- Recording function on-board
- Clouding
- All parameters are tuneable
- Satellite specific tuning and BW
- Ultra High Definition (UHD)
- 8K / 4K
- Ultra long range Zoom ≥ 10 Km [Specific Equipment]

19



SATELLITE & VIDEO CONFERENCE

CLOUDING satellite solutions for video conference and Ultra high definition video.



- Video Conference Room
- Secure & Fast Communication
- Crystal clear picture & Video
- Audio & Video
- Easy to use for any meeting
- 8K & 4K Compatibility
- Point to multi point private satellite video conference



20




LOAD BALANCING SOLUTIONS





VSAT FAILOVER & LOAD BALANCING

GlobalTT provide full redundant Load Balancing / Failover



- Full redundancy
- Internet 100% available 365/7
- 100% reliability & availability
- Load Balancing & priority protocol
- Full security
- Satellite + Satellite
- Satellite + Local Fiber
- Satellite + Local 3G/4G



VSAT CLOUDING SERVICES

Additional service we offer along with VSAT services and subscriptions

Cloud applications - We support over our satellite network:

- All office 365 Suite (word, excel, PPT, sharepoint)
- Email Outlook®
- Customer Relationship Management (CRM)
- Enterprise Resource Planning (ERP)
- (VOIP) Skype® for Business & Teams



- All the Instant Messaging (I.M), voice and video (whatsapp, Teams, skype, IMO, Viber, Telegram, Messenger voice)
- VOIP for private network
- Ticketing System, Webcam surveillance UHD, high quality
- Video conferencing, high resolution and high quality



(GI) GLOBAL INTERFACE (Subscriber Interface)

The Global Interface (GI) is a portal client which helps our clients to monitor their stations, order add-ons, managing application protocols and much more.

ONLINE VSAT FULL CONTROL PORTAL & MONITORING



- Flexible Online Payment Methods
- Station Details on Dashboard
- Debug, Solve problem, Identify Problem
- Speed Monitoring
- Volume Monitoring
- IP Application Monitoring
- Advanced Application Control Management
- Control station from the dashboard
- User Profile control & Rights

23



(SVNO) SATELLITE VIRTUAL NETWORK OPERATOR



Full Control



NO INVESTMENT, BECOME AN OPERATOR

The SVNO is a reseller portal operating under their brand. Including a web interface hosted by the GlobalTT server.

Operate under your Name



You appear as a Satellite Operator and manage your clients, price, margin and profit.

Apply Your Margin

		Selling Prices		
		Level 1	Level 2	Level 3
Retail Price	Your Discounted Prices (-35%)	10 %	20 %	30 %
\$775	\$504	555 \$	605 \$	656 \$
\$5072	\$3297	3627 \$	3957 \$	4287 \$
Advanced Price Management System		Save Changes	Reset	Price

- Fully Automated 24/7 - Zero Financial Risk Portal
- Portal under your Branding
- Advanced Application Control Management
- Prepaid & Postpaid
- Online debug and maintenance tools
- Control all Your stations from the dashboard
- Flexible Online Payment Methods

VIRTUAL
SATELLITE
OPERATOR



24



GEO

THURAYA

Connecting Everyone
Everywhere

Thuraya's robust satellite network provides coverage in the most remote locations, ensuring congestion-free satellite communications to keep you connected at all times.

- Europe
- All Russia
- All Asia
- All Africa

THURAYA 


GEO

INMARSAT

Inmarsat WORLDWIDE has a broad portfolio of voice and data services to satisfy your communications requirements, wherever your operations are located.

From hand-held satellite phones and remote site fixed installations, to vessel, vehicular and airborne mobile terminals, offering different performance options to suit your operational needs.


inmarsat
The mobile satellite company





22 kbps
Iridium Certus 20

- Global Maritime Distress & Safety System (GMDSS)
- ACARS
- Asset Tracking
- eLog Book
- Telemetry
- Remote Monitoring

88 kbps
Iridium Certus 100

- Internet/VPN
- Email
- Graphical Weather (WX)
- Photo Transfer
- Credit Card Validation

176 kbps
Iridium Certus 200

- ECDIS Updates
- Aeronautical Charts
- Streaming Audio

352 kbps
Iridium Certus 350

- Flight Data Recorder Streaming
- VSAT Redundancy
- Low Resolution Video

704 kbps
Iridium Certus 700

- Standard Definition Video
- Video Conferencing
- Multi-User Internet / VPN
- Telemedicine

1408 kbps
Iridium Certus 1400

- High Definition Video
- Video Conferencing
- Multi-User Internet / VPN
- Telemedicine

LEO DATA & VOICE

IRIDIUM CERTUS®

One Platform for Any Need

Iridium Certus® advanced multi-service platform. **L-Band data throughput.** Communications across maritime, IoT, aviation, land mobile, and government applications. Up To **1407 Kbps**

- Data Internet
- Fixed & Mobile



100% Global Coverage



MSS-VEHICLE INTERNET



GEO



THURAYA IP VOYAGER

Easy & reliable connectivity on the road

Designed to connect at IP broadband speeds of up to **444kbps** while on the move, the Thuraya IP Voyager is the only terminal capable of achieving streaming IP rates of up to 384kbps



Vehicle Internet



inmarsat GEO

EXPLORER 325

A vehicle satellite GEO Inmarsat BGAN Broadband Internet Global Terminal - **464 Kbps**, Internet, Email, Phone, FTP, FoIP (Fax), SMS Text, Streaming Compact, lightweight, robust system



Vehicle Internet



MSS - SATELLITE PHONE



VOICE **GEO** **ISATPHONE®** GEO Sat-Phone

A **global** Inmarsat GEO satellite Phone rugged handset with a life of a unsurpassed battery and **excellent quality "voice"**. Tracking – sends location information. Voicemail, text and email messaging.

- Fully ruggedized
- Dual mode. Dual SIM.
- SAT and GSM "Always On"
- Advanced navigation capabilities
- Most powerful battery - 1 Week
- Dedicated SOS button
- Make the most out of your camera
- Expand your memory
- Connect anyway you want
- Walk-and-Talk
- Bring Your Own App (BYOA)



VOICE **GEO** Android Sat-Phone **THURAYA X5-TOUCH**

SATELLITE-TWO-WAY-RADIO



IRIDIUM PTT

IRIDIUM **LEO** VOICE Push - to-Talk

Iridium PTT® is a World Wide global group communications service.

The truly **mobile and global voice solution** provides a simple Push-to-Talk connectivity "Two Way Radio". The relays or repeaters are the Iridium satellites in the sky.

LEO **IRIDIUM GO!®** Portable Connection

Iridium® LEO satellite, creates the first ever reliable **global "BOX" for voice calls, text messaging, Small internet, emailing services and emergency SOS** system using your own laptop, tablet or smartphone..



29

GEO

ISATHUB® (IP) Smart Connectivity

The IsatHub service accessible from your iPhone, iPad and/or iPod touch or Android[TM] device. IsatHub is a medium/low speed worldwide internet connectivity in L-band on the GEO Inmarsat satellite network. Wi-Fi Range of 30 meters / 100 feet. Your portable satellite Wi-Fi hotspot. ≥ 384 Kbps



THURAYA "WE" (IP) Connecting Everyone Everywhere - INTERNET

- Single SIM, dual mode hotspot
- Data at ≥ 384 Kbps
- Calls and text messages in Satellite Mode
- Easy to use interface
- Unified communications
- Lightweight and durable


THURAYA-IP+® **GEO** User Friendly Connectivity

GEO satellite Internet devise,
Speed up to **444 Kbps** regionally. IP55
Battery life 36 hours
1.4 Kg



inmarsat **GEO** **BGAN Others** Many Options

WorldWide Inmarsat satellite GEO BGAN terminal(Explorer series) and subscription - Connect to the internet from **practically any region of the world** up to 1 Mbps in L-Band



30



WATER REPELLENT NANOCOATING



SUPER HYDROPHOBIC NANOCOATING COATING

HIREC 100 provides hydrophobic Nano-coatings between object and water droplets.

Main Properties and Usage

- Repel the water
- Anti-Icing
- Anti-Wetting
- Application for the Telecommunication
- Auto-Cleaning
- & many more

TIME LIFE

3 YEARS



HIREC's Sterling Photocatalyst Self-Cleaning Mechanism

HIREC integrates photocatalytic material.

HIREC is highly effective for preventing water accumulation on radars, antennas and Radar Radomes

It is also highly effective to improve and maintain performance of antennas, pylons, bridges and towers in snowy or icy climates.

With Water Repellent

With Out Water Repellent

31

All solutions offered by GlobalTT

Vsat iFast Internet "128 Kbps up to 300 Mbps • Fixed • Transportable • Vehicle-IP • Vehicle on the move(SOTM) • Maritime & Aircraft solutions

VOIP (Voice over IP solutions)

WebCam PRO • Satellite solutions optimized

LTE • High throughput local radio broadband 20 Km

Microwave radio link solutions, LAN to LAN / POINT to POINT / POINT to MULTIPOINT • 1.5 Ghz up to 30 Ghz • 10 Mbps up to 10 Gbps • Radio range : 500 m, 1 Km, 10 Km, 30 Km, 50 Km (LOS)

Video Conference • High definition • Throughput tuning • Adapted for satellite

TV satellite DTH • Satellite Uplink • DTH or contribution

IPTV & OTT • Smart TV • Set-up box • Compatibility & availability all over the internet world

Radio satellite broadcast / FM Transmission

QOS server layer 7 • Full bandwidth and application management

Load balancing IP network up to 8 different IP providers • All the time "ON"

Firewall/UTM for company • LAN Security

Wi-Fi Router/billing/restrictions and control • Full control of the Wi-Fi's and LAN's Network

MSS (Mobile Satellite Services)

- Iridium (PTT/GO)
- Thuraya • IsatPhone

Portable internet • BGAN • Thuraya IP • Vehicle • Thuraya • Inmarsat vehicle

Maritime Inmarsat (Internet and phone)

- 128 Kbps • 256 Kbps
- 384 Kbps • 480 Kbps

Tracking Vehicle/boat/person (World-Wide)

• Hybrid (Iridium & GSM) • Position reporting on a map • Optional report on other information (temperature, tank fuel, open doors, ...)

Super Hydrophobic Nano Technology coating • Super water repellent • Against moisture, rust, snow • Higher performance on all telecom equipment : dome, radomes , antennas, feed-horn, ...